SUBJECT INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S0003-4878(98)00072-6

Abrasive blasting respirators, performance 61–62*L*
Absorption, percutaneous, from physicochemical data, prediction 267–276
Acidic pH, *in-vitro* fibre dissolution rate, measurement 233–243
Aerosol exposures, health-relevant, of primary lead smelter workers, assessment of particle size distributions 73–80
Aerosol generation, whole-body exposure chamber for human skin and lung challenge experiments, generation of wheat flour aerosols 541–547
Aerosol samplers for conventional CEN thoracic fraction 453–465
Air cleaners, measurement of performance against particulate element of rosin-based solder flux fume 511–519
Air movement in indoor workplaces 303–313
Airborne fibre number concentrations, determination, recommended method by phase-contact optical microscopy (membrane filter method) 146*b*
Airborne microorganisms, computer simulation study on counting error due to masking effect 501–510
Alumina and primary aluminium industry, exposures, historical review 173–189
Amsacrine, chemical degradation of wastes 259–266
Anti-vibration gloves, assessing performance, possible alternative to ISO 10819, 1996 245–252
Asbestos
  in buildings, control and management, system of local rules 67–68*b*
  measurement, historic, comparison of methods 21–31
Asbestos fibre counting schemes, national versus international, PICC-FA v. AFRICA 97–104
Asbestos textiles mystery: unfinished business 3–5
Asbestos workers, does risk perception affect behaviour and exposure 565–569*sc*
Asparaginase, chemical degradation of wastes 259–266
Asthma, occupational, mechanisms induced by isocyanates 33–36
Azathioprine, chemical degradation of wastes 259–266

Back discomfort, prevalence, and estimates of back load in two manufacturing facilities 549–556
Behaviour of asbestos workers, and risk perception 565–569*sc*
Bioaerosol colony counting error due to masking effect, computer simulation study 501–510
Biological monitoring in the workplace, guide to its practical application to chemical exposure 286*b*
Blasting respirators, abrasive, performance 61–62*L*
Blood-borne infections, occupational 353*b*
Breathing apparatus or respirator as adequate respiratory protective device, choice between 91–95

Carbon-electrode manufacturing plant, monitoring occupational exposure to polycyclic aromatic hydrocarbons 105–114
Carcinogenicity
  of quartz 287–294
  surface chemistry and quartz hazard 521–530
Carcinogens, environment, non-threshold, standards, comparison of approaches used for radiation and chemicals 315–323
CATHIA-T static sampler 453–465
Chemical Industries Association guidance on allocating occupational exposure bands 407–411
Chemical(s)
  biological monitoring in the workplace, guide to its practical application 286*b*
  control strategies, occupational hygiene considerations in the development of a structured approach to select 391–400
  degradation of wastes of antineoplastic agents amsacrine, azathioprine, asparaginase and thiotepa 259–266
  hairdresser salons, effect of local exhaust ventilation 277–281
  health risks, control, new UK scheme to help small firms 367–376
  toxicological considerations 377–390
  percutaneous absorption, prediction 267–276
  standards for environmental, non-threshold, carcinogens 315–323
  workplace, biological monitoring 145*b*
Chloramines, exposure in green salad processing plant 437–451
3-Chloroprene, risk assessment document EH72/4 285–286*b*
Chrysotile miners and millers, dust exposure and lung cancer, Quebec 7–20
CIP10-T personal thoracic sampler and its static version CATHIA-T 453–465
Coal tar pitch volatiles in air, development of improved method for determination 45–59
Computer simulation study on bioaerosol colony counting error due to masking effect 501–510
Control of Substances Hazardous to Health Regulations 1994 (COSHH), new UK scheme to help small firms 367–376
Cotton dust, two personal sampling heads compared 253–258
Crystalline silica *see* Quartz

SUBJECT INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S0003-4878(98)00072-6

Abrasive blasting respirators, performance 61–62*L*
Absorption, percutaneous, from physicochemical data, prediction 267–276
Acidic pH, *in-vitro* fibre dissolution rate, measurement 233–243
Aerosol exposures, health-relevant, of primary lead smelter workers, assessment of particle size distributions 73–80
Aerosol generation, whole-body exposure chamber for human skin and lung challenge experiments, generation of wheat flour aerosols 541–547
Aerosol samplers for conventional CEN thoracic fraction 453–465
Air cleaners, measurement of performance against particulate element of rosin-based solder flux fume 511–519
Air movement in indoor workplaces 303–313
Airborne fibre number concentrations, determination, recommended method by phase-contact optical microscopy (membrane filter method) 146*b*
Airborne microorganisms, computer simulation study on counting error due to masking effect 501–510
Alumina and primary aluminium industry, exposures, historical review 173–189
Amsacrine, chemical degradation of wastes 259–266
Anti-vibration gloves, assessing performance, possible alternative to ISO 10819, 1996 245–252
Asbestos
  in buildings, control and management, system of local rules 67–68*b*
  measurement, historic, comparison of methods 21–31
Asbestos fibre counting schemes, national versus international, PICC-FA v. AFRICA 97–104
Asbestos textiles mystery: unfinished business 3–5
Asbestos workers, does risk perception affect behaviour and exposure 565–569*sc*
Asparaginase, chemical degradation of wastes 259–266
Asthma, occupational, mechanisms induced by isocyanates 33–36
Azathioprine, chemical degradation of wastes 259–266

Back discomfort, prevalence, and estimates of back load in two manufacturing facilities 549–556
Behaviour of asbestos workers, and risk perception 565–569*sc*
Bioaerosol colony counting error due to masking effect, computer simulation study 501–510
Biological monitoring in the workplace, guide to its practical application to chemical exposure 286*b*
Blasting respirators, abrasive, performance 61–62*L*
Blood-borne infections, occupational 353*b*
Breathing apparatus or respirator as adequate respiratory protective device, choice between 91–95

Carbon-electrode manufacturing plant, monitoring occupational exposure to polycyclic aromatic hydrocarbons 105–114
Carcinogenicity
  of quartz 287–294
  surface chemistry and quartz hazard 521–530
Carcinogens, environment, non-threshold, standards, comparison of approaches used for radiation and chemicals 315–323
CATHIA-T static sampler 453–465
Chemical Industries Association guidance on allocating occupational exposure bands 407–411
Chemical(s)
  biological monitoring in the workplace, guide to its practical application 286*b*
  control strategies, occupational hygiene considerations in the development of a structured approach to select 391–400
  degradation of wastes of antineoplastic agents amsacrine, azathioprine, asparaginase and thiotepa 259–266
  hairdresser salons, effect of local exhaust ventilation 277–281
  health risks, control, new UK scheme to help small firms 367–376
  toxicological considerations 377–390
  percutaneous absorption, prediction 267–276
  standards for environmental, non-threshold, carcinogens 315–323
  workplace, biological monitoring 145*b*
Chloramines, exposure in green salad processing plant 437–451
3-Chloroprene, risk assessment document EH72/4 285–286*b*
Chrysotile miners and millers, dust exposure and lung cancer, Quebec 7–20
CIP10-T personal thoracic sampler and its static version CATHIA-T 453–465
Coal tar pitch volatiles in air, development of improved method for determination 45–59
Computer simulation study on bioaerosol colony counting error due to masking effect 501–510
Control of Substances Hazardous to Health Regulations 1994 (COSHH), new UK scheme to help small firms 367–376
Cotton dust, two personal sampling heads compared 253–258
Crystalline silica *see* Quartz

Cyanoacrylates, airborne, measurement 489–499

Dermal exposure, fluorescent tracer technique in greenhouse exposure studies 467–475
Dermal uptake of solvents from the vapour phase 531–540
1,2-Diaminoethane (ethylenediamine (EDA)), risk assessment document EH/72/7 283[b]
Diesel emissions, health effects 63[L], 65–66 [L]
Diethylamine emission from military gas mask canisters, assessment 325–330
Dimethyl sulphate and diethyl sulphate in air, determination by thermal desorption gas chromatography-mass spectrometry 201–207
Dust exposure and lung cancer in Quebec chrysotile miners and millers 7–20
Dust-protective respirator mask, effect on urinary 1-hydroxypyrene concentration in PAH-exposed electrode paste plant workers 135–144

Electrode paste plant workers, effect of dust-protective respirator mask on urinary 1-hydroxypyrene concentration 135–144
Epidemiology, toxicology, occupational hygiene: the three solitudes 147–149
Ergonomic judgment of prevalence of back discomfort and estimates of back load in two manufacturing facilities 549–556
Erratum 69
Ethylenediamine (EDA), risk assessment document EH/72/7 283[b]
Exposure
  alumina and primary aluminium industry, historical review 173–189
  assessment method, log-normal distribution-based, for unbalanced data 413–417[L], 417–420[L], 420–421[L], 421–422[L]
  bands, occupational, allocating, Chemical Industries Association guidance 407–411
  chamber, whole-body, for human skin and lung challenge experiments, generation of wheat flour aerosols 541–547
  limits
    dawn of something better? 355–356
    occupational, industry's perception and use 357–366
  magnetic field, personal, factors influencing, power utility and office workers, preliminary results 167–171
  occupational
    individual- and group-based assessment, some equations to evaluate different strategies 115–119
    through spraying remedial pesticides 159–165
    to polycyclic aromatic hydrocarbons, carbon-electrode manufacturing plant, monitoring 105–114
  and risk estimation for pesticides in high-volume spraying 151–157
  workplace, to rosin-based solder flux fume during hand soldering 295–302

Fe^{3+} release higher in surfactant coated than native fibres 337–345
Fibre dissolution rate, *in-vitro*, at acidic pH, measurement 233–243
Fibres, respirable, surfactant coated fibres release more Fe^{3+} than native fibres at both pH 4.5 and 7.2 337–345
Filtering extraction units, free-standing, used in woodworking industry, measurement of performance 423–436
Fluorescent tracer technique in greenhouse exposure studies, implementation and evaluation 467–475
Free silica, determination in set of toners 219–220[xc]
Free-standing filtering extraction units used in woodworking industry, measurement of performance 423–436
2-Furaldehyde, risk assessment document EH72/6 285–286[b]

Gas mask canisters, military, triethylamine and diethylamine emission, assessment 325–330
Green salad processing plant, exposure to chloramines 437–451
Greenhouse exposure studies
  implementation and evaluation of fluorescent tracer technique 467–475
  see also Green salad processing plant
Growth and improvement 1

Hairdresser salons, chemical exposure, effect of local exhaust ventilation 277–281
Hand-arm vibration, assessing performance of anti-vibration gloves 245–252
Hand-arm vibration injury, practical ways to reduce risk 145–146[b]
Hand soldering, rosin-based solder flux fume during, workplace exposure 295–302
Heating of hot melt adhesives, composition of products evolved during 37–44
Historic asbestos measurement, comparison of methods 21–31
Hot melt adhesives, heating, composition of products evolved during 37–44
Howie, Robin, President, The British Occupational Hygiene Society 1997–1998 71–72
Hypochlorite causing respiratory irritation in green salad processing plant 437–451

Improvement and growth 1
In-vitro fibre dissolution rate at acidic pH, measurement 233–243
Information needs of workers 401–406
Inhalation, short- and long-term, man-made vitreous fibres, biopersistence and pathogenicity after 191–199
Isocyanates, inducing occupational asthma, mechanisms 33–36

Lead smelter workers, assessment of particle size distributions of health-relevant aerosol exposures 73–80
Log-normal distribution-based exposure assessment method for unbalanced data 413–417[L], 417–420[L], 420–421[L], 421–422[L]
Lung cancer, and dust exposure, Quebec chrysotile miners and millers 7–20
Lung challenge experiments, whole-body exposure chamber, wheat flour aerosols 541–547

Magnetic field exposure, personal, factors influencing, power utility and office workers, preliminary results 167–171
Magnetic fields on British trains 331–335
Man-made vitreous fibres
biopersistence and pathogenicity after short- and long-term inhalation 191–199
measurement of *in-vitro* fibre dissolution rate at acidic pH 233–243
Manual materials handling, guide, second edition 67[b]
Masking effect causing bioaerosol colony counting error, computer simulation study 501–510
Materials handling, manual, guide, second edition 67[b]
Membrane filter-phase contrast microscopy method, comparison of historic asbestos measurements using thermal precipitator 21–31
Mercury, inorganic, smelter works of Abbadia San Salvatore, Italy, historical exposure 81–90
Military gas mask canisters, triethylamine and diethylamine emission, assessment 325–330
Millers, chrysotile, dust exposure and lung cancer, Quebec 7–20
Mineral dusts, review of screening and surveillance of exposed workers 353–354[b]
Miners, chrysotile, dust exposure and lung cancer, Quebec 7–20

Nicotine, measurement and analysis in indoor air to indicate passive smoking 129–134
Non-ionising radiation 221–222[b]
Norway, quartz exposure in the slate industry 557–563

Occupational asthma, mechanisms induced by isocyanates 33–36
Occupational blood-borne infections 353[b]
Occupational cancer epidemiology, quantitative risk assessments derived from, worked example 347–352[sc]
Occupational exposure bands, allocating, Chemical Industries Association guidance 407–411
Occupational exposure limits *see* Exposure
Occupational hygiene, epidemiology, toxicology: the three solitudes 147–149
Occupational hygiene considerations in the development of a structured approach to select chemical control strategies 391–400
Office workers, factors influencing personal magnetic field exposure 167–171

Particle size distributions of health-relevant aerosol exposures of primary lead smelter workers, assessment 73–80
Particulate surface contamination, monitoring, comparison of methods 477–488
Passive smoking, measurement and analysis of nicotine and other VOCs in indoor air as indicator 129–134
Percutaneous absorption from physicochemical data, prediction 267–276
Personal magnetic field exposure, factors influencing, power utility and office workers, preliminary results 167–171
Pesticides
in high-volume spraying, exposure and risk estimation 151–157
remedial, spraying, occupational exposure 159–165
Phenylhydrazine, risk assessment document EH72/1 284[b]
Photocopying, exposure to crystalline silica in toners 219–220[sc]
Physicochemical data, percutaneous absorption, prediction 267–276
Polycyclic aromatic hydrocarbons
carbon-electrode manufacturing plant, monitoring occupational exposure 105–114
effect of dust-protective respirator mask on urinary 1-hydroxypyrene concentration 135–144
Pottery industry, development of exposure matrix for respirable crystalline silica 209–217
Power utility workers, factors influencing personal magnetic field exposure 167–171
Primary lead smelter workers, assessment of particle size distributions of health-relevant aerosol exposures 73–80

Quantitative risk assessments derived from occupational cancer epidemiology, worked example 347–352[sc]
Quartz
determination in set of toners 219–220[sc]
exposure, slate industry, Northern Norway 557–563
hazard
and surface chemistry 521–530
variable entity 287–294
respirable, development of exposure matrix, pottery industry 209–217
Quebec chrysotile miners and millers, dust exposure and lung cancer 7–20

Radiation
natural, high levels, radiation dose and health effects 222[b]
non-ionising 221–222[b]
standards for environmental, non-threshold, carcinogens 315–323
Respirable fibres, surfactant coated fibres release more Fe^{3+} than native fibres at both pH 4.5 and 7.2 337–345
Respirator mask, dust-protective, effect on urinary 1-hydroxypyrene concentration in PAH-exposed electrode paste plant workers 135–144
Respirators, abrasive blasting, performance 61–62[L]
Respiratory irritation caused by chloramines in green salad processing plant 437–451
Respiratory protective device, adequate, selecting, choice between respiratory and breathing apparatus 91–95
Risk assessment 223–224
facts, fallacies and fears, public and health professionals at odds 227–232
Risk estimation, exposure for pesticides in high-volume spraying 151–157
Risk perception amongst asbestos workers, effect on behaviour and exposure 565–569[sc]
Roach, Stan, S.A. Roach: an appreciation 225–226

Rosin-based solder flux fume
during hand soldering, workplace exposure 295–302
particulate element, measurement of performance of air cleaners 511–519

Safety representatives and information needs of workers 401–406
Siderosilicosis, after crystalline silica exposure in toners 219–220[sc]
Silicosis and quartz exposure in slate industry, Northern Norway 557–563
Skin challenge experiments
whole-body exposure chamber, wheat flour aerosols 541–547
see also Dermal
Slate industry, Northern Norway, quartz exposure 557–563
Small firms
new UK scheme to help control health risks from chemicals 367–376
structured approach to select chemical control strategies 391–400
toxicological considerations 377–390
Smelter workers, primary lead, assessment of particle size distributions of health-relevant aerosol exposures 73–80
Smelter works, Abbadia San Salvatore, Italy, historical exposure to inorganic mercury 81–90
Solder flux fume, rosin-based
during hand soldering, workplace exposure 295–302
particulate element, measurement of performance of air cleaners 511–519
Soldering, hand, rosin-based solder flux fume during, workplace exposure 295–302
Solid particulate surface contamination in the workplace, monitoring, comparison of methods 477–488
Spanish Interlaboratory Quality Control Programme, national versus international asbestos fibre counting schemes 97–104
Spraying
high-volume, pesticides, exposure and risk estimation 151–157
remedial pesticides, occupational exposure 159–165
Surface chemistry and quartz hazard 521–530
Surfactant coated fibres release more Fe^{3+} than native fibres at both pH 4.5 and 7.2 337–345

Temporary threshold shift of vibration perception threshold following short duration exposure to vibration 121–127
Tenax sampling tube in measurement of airborne cyanoacrylates 489–499
Thermal desorption gas chromatography-mass spectrometry to determine dimethyl sulphate and diethyl sulphate in air 201–207
Thermal precipitator with membrane filter-phase contrast microscopy method, comparison of historic asbestos measurements using 21–31
Thiotepa, chemical degradation of wastes 259–266
Thoracic CIP10-T personal sampler and its static version CATHIA-T 453–465
Threshold shift, temporary, of vibration perception threshold following short duration exposure to vibration 121–127
Toners, determination of free silica 219–220[sc]
Toxicological hazards, UK scheme to help small firms control health risks from chemicals 367–376
Toxicology, epidemiology, occupational hygiene: the three solitudes 147–149
Trains, British, magnetic fields 331–335
Triethylamine emission from military gas mask canisters, assessment 325–330

Unbalanced data, log-normal distribution-based exposure assessment method 413–417[L], 417–420[L], 420–421[L], 421–422[L]

Vapour phase, solvents, dermal uptake 531–540
Vibration perception threshold, temporary threshold shift following short duration exposure to vibration 121–127
Volatile organic compounds, and nicotine, measurement and analysis in indoor air to indicate passive smoking 129–134

Wheat flour aerosols, whole-body exposure chamber for human skin and lung challenge experiments 541–547
Wind speeds in indoor workplaces, survey 303–313
Woodworking industry, free-standing filtering extraction units, measurement of performance 423–436
Workers, information needs 401–406
Workplace
indoor, wind speeds, survey 303–313
Vol 1 Fundamentals of health, safety and welfare. Vol 2 Major industries and occupations 571[b]

AUTHOR INDEX

b = Book Review; *L* = Letter; *sc* = Short Communication

PII: S0003-4878(98)00073-8

Aalto, A. 284*b*
Abramson, M. 173
Ackermans, H. 219
Andre, J.C. 437
Aprea, C. 267
Arroyo, M.C. 97
Aubert, S. 437

Baan, R.A. 105
Baldwin, P.E.J. 303
Bang, B.E. 557
Barek, J. 259
Beck, J. 353*b*
Bellander, T. 81
Benke, G. 173
Bentsen, R.K. 135
Beswick, P.H. 337
Bierman, E.P.B. 467
Boffetta, P. 81
Bootland, J. 73
Borm, P.J.A. 287
Bos, P.M.J. 285*b*
Brooke, I. 367, 531
Brooke, I.M. 377
Brouwer, D.H. 151, 467
Brown, D.M. 337
Brown, R.C. 423, 511
Burdett, G. 21
Burdorf, A. 67*b*
Burgess, G.L. 209
Burstyn, I. 69

Castegnaro, M. 259
Ceccarelli, F. 81
Cenni, A. 267
Chadwick, P. 331
Chang, C-W. 501
Chang, J-Y. 501
Chen, C-C. 501
Cherrie, J.W. 91, 167, 565*sc*
Christensen, V.R. 233
Cocker, J. 531
Cvacka, J. 259

Dabill, D.W. 45
Davis, J.M.G. 191
de Meester, M. 219
de Méo, M. 259
de Ridder, M. 219
de Vreede, J.A.F. 151
Delic, J.I. 531
Deschamps, F. 33
Destombe, K. 325
Devine, J.M. 357
Dieudonne, M. 437
Donaldson, K. 287, 337
Duggan, M.J. 222*b*, 315
Dyne, D. 531

Ellehauge, A. 191

Fabriès, J.F. 453
Fisher, C.E. 337
Fishwick, D. 253
Fletcher, A.M. 253
Francis, H.C. 253
Fubini, B. 521

Garrod, A.N.I. 159
Gerber, J.C. 437
Glindmeyer, H. 61*L*
Gompertz, D. 286*b*, 347*sc*
Görner, P. 453
Gregg, N.C. 531
Grosjean, R. 219
Groves, J. 37, 295
Groves, J.A. 45, 201, 489
Guest, I. 407
Guillemin, M.P. 63*L*
Guldberg, M. 191, 233

Halgard, K. 135
Hamilton, L. 347*sc*
Harrington, J.M. 227, 347*sc*
Hay, A.W.M. 401
Hecht, G. 437
Heederik, D. 115
Heloma, A. 129
Hery, M. 437
Hewett, P. 413*L*, 420*L*
Hewitt, S. 245
Hollund, B.E. 277
Houba, R. 115
Hudspith, B. 401
Hughes, D. 221*b*
Hwang, J-S. 501

Johnson, A.E. 511
Jones, K. 531
Jones, T. 159

Kähkönen, E. 129
Kamstrup, O. 191
Kauffer, E. 453
Keen, C. 489
Kennedy, S.M. 69
King, E. 225
Kochman, S. 33
Koenig, A.R. 233
Kraak, A. 105
Krantz, S. 541
Kromhout, H. 115
Kupper, L.L. 115, 417*L*, 421*L*

Laget, M. 259
Lambert, B.E. 315
Lavaud, F. 33
Levy, L.S. 347*sc*
Liddell, F.D.K. 7
Lidén, C. 541
Lidén, G. 541
Liu, W.C.V. 549
Lowes, F. 331
Lundgren, L. 541
Lunn, J. 353*b*
Lyles, R.H. 417*L*, 421*L*

McDonald, A.D. 7
McDonald, C. 223
McDonald, J.C. 3, 7, 147
Maidment, S.C. 367, 391
Malchaire, J. 121, 145*b*
Matteucci, G. 267
Maynard, A.D. 303
Merler, E. 81
Michelon, J. 259
Moen, B.E. 277
Morgan, W.K.C. 65*L*
Murray, E. 73

Nieboer, E. 325
Niven, R.McL. 253
Northage, C. 37, 295
Noto, H. 135
Novelli, M.T. 267

Ogden, T. 1, 355
Ogden, T.L. 571*b*
Oldham, L.A. 253
Orsi, D. 267
Ovrebo, S. 135

Pagotto, J.G. 325
Palmi, S. 267
Payne, M. 531
Pengelly, I. 37, 295, 489
Perander, M. 233
Pickering, C.A.C. 253
Pickford, G. 146*b*

Piette, A. 121
Possoz, C. 437
Prevost, A. 33

Ramachandran, G. 73
Rappaport, S.M. 417[L], 421[L]
Reger, R.B. 65[L]
Reijula, K. 129
Rickmann, A.M. 67[b]
Rimmer, D.A. 159
Robertshaw, L. 159
Rodriguez Diaz, L.S. 121
Rojo, J.M. 97
Rothberg, M. 129
Russell, R.M. 367

Sanchez-Monroy, D. 549
Sartorelli, P. 267
Scobbie, E. 45, 201
Sebastian, K. 233
Semple, S. 167
Shaw, D.S. 325
Shaw, J. 337
Shih, T-S. 501
Sim, M. 173
Simpson, A. 295
Skare, L. 541
Sorahan, T. 347[sc]
Spear, T.M. 73
Stancliffe, J.D. 477
Steenwinkel, M-J.S.T. 105
Stevenson, H. 151, 285[b]
Stewart-Taylor, A.J. 565[sc]
Subra, I. 437
Suhr, H. 557
Svinhufvud, J. 129

Teschke, K. 69
Thorpe, A. 423
Tielemans, E. 115
Topping, M.D. 357, 367
Tornling, G. 541
van Asten, J.G. 105
van Delft, J.H.M. 105
van Es, J. 105
van Hemmen, J.J. 145[b], 151, 467
Verma, D.K. 325
Vigneron, J.C. 453
Vincent, J.H. 73

Warburton, C.J. 253
Wardenbach, P. 283[b]
Werner, M.A. 73
Wheeler, J.P. 477
Williams, C.R. 357
Wilschut, A. 285[b]
Wrobel, R. 453

Yu, T-S. 501

Zima, J. 259
Zoitos, B. 233

Printed in Great Britain at BPC-AUP Aberdeen Ltd.